

Galvanized Hard Drawn Wire

(Control No: MSDS-SW-0810 Date: Oct. 28th 2008 Version: 2)

1. Product and Company Identification

1.1 Product name : Galvanized Hard Drawn Wire : SW-C

1.2 Uses: Spring Wire

1.3 Company Identification:

- Company Name HONGDUK INDUSTRIAL Co., Ltd

- Address : #1855 Janghung-Dong, Nam-Gu, Pohang-City

Kyungbuk, Korea 790-240

- Emergency phone : 82-(0)54-271-3650

- Telefax : 82-(0)54-271-3699

- Preparer section : Quality Control team

2. Composition / Information on Ingredients

Ingredient	CAS No.	Contents
Iron (Fe)	7439 - 89 - 6	> 99.9%
Zn	7440-66-6	> 0.1%

3. Hazards Identification

3.1 General characteristics : Solid metals

3.2 Harmfulness: Harmless (Non toxic)

4. First-Aid Measures

4.1 Inhalation : Not available (Not possible as solid state)

4.2 Skin Contact: Not available (If physically hurt, consult a physician)

4.3 Eye contat : Get medical attention immediately.

4.4 Ingestion: Not available

MSDS for Galvanized wire page. 1/4



Galvanized Hard Drawn Wire

(Control No: MSDS-SW-0810 Date: Oct. 28th 2008 Version: 2)

5. Fire and Explosion hazards

5.1 Flash point : Not available

5.2 Flammable limits in air : Not available

5.3 Extinguishing media: Not available

5.4 Special firefighting procedures : Fire danger could be ignored.

5.5 Unusual fire & Explosion hazards: Not available

6. Accidental Release Measures

6.1 Personal precautions : Not available (Harmless chemically)

6.2 Environmental Precautions: Not available (Harmless chemically)

7. Handling and Storage

7.1 Handling: Care in handling to avoid mechanical injury.

7.2 Storage : Two or less layers of loading is required.

If multi-layer loading is carried out, products can be damaged.

It is the ban on storage to a damp place.

8. Exposure controls / Personal protection

8.1 Engineering controls : Not required

8.2 Resipiratory protection : Not required

8.3 Ventilation: Not required

8.4 Protective gloves: Wear not penetration of humudity gloves.

8.5 Eye protection : Wear goggles or safety glasses.

8.6 Other protective clothing or equipment: None

8.7 Work/Hygienic practices: Wash hands after handling wire are recommended.

MSDS for Galvanized wire page. 2/4



Galvanized Hard Drawn Wire

(Control No: MSDS-SW-0810 Date: Oct. 28th 2008 Version: 2)

9. Physical and Chemical Propert

9.1 Appearance/Odor: Light Grey Color / Odorless

9.2 Important health, safety and environmental information

- Boiling Range : None

- Vapor Density: None

- Evaporation rate : None

- Specific gravity: 7.8

- Solubility in water : Insoluble

- Appearance and smell : Linear solid with no smell

10. Stability and Reactivity

10.1 Stability: Stable

10.2 Conditions to avoid: Hot and humidity conditions

10.3 Materials to avoid: None

10.4 Hazardous decomposition to byproducts: None

11. Toxicological Information

11.1 Inhalation: Not possible as solid state.

11.2 Skin and eye contact health risks No harmful but, can be hurt by physically.

and symptoms of exposure: Eye contact can cause loss of eye sight.

11.3 Ingestion health risks and None

symptoms of exposure:

11.4 Health hazards (Acute and chronic): None

11.5 Carcinogenicity: None

MSDS for Galvanized wire page. 3/4



Galvanized Hard Drawn Wire

(Control No: MSDS-SW-0810 Date: Oct. 28th 2008 Version: 2)

12. Ecological information

12.1 Ecotoxicity: None

12.2 Mobility: None

12.3 Persistence and degradability: None

12.4 Bioaccumulative potential: None

13. Disposal Consideration

13.1 Waste disposal method : Material should be recycled.

14. Transport Information Not regulated

15. Regulatory Information

15.1 Industrial safety of health law None

15.2 Toxic chemicals control act None

15.3 Other regulatory information None

15.4 This product did not violate a regulation in "REACH".

16. Other Information None

MSDS for Galvanized wire page. 4/4